

O-RING JIS B2401 (SIZE G)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
G25	24.4	3.1	G25	0.961	0.122
G30	29.4	3.1	G30	1.157	0.122
G35	34.4	3.1	G35	1.354	0.122
G40	39.4	3.1	G40	1.551	0.122
G45	44.4	3.1	G45	1.748	0.122
G50	49.4	3.1	G50	1.945	0.122
G55	54.4	3.1	G55	2.142	0.122
G60	59.4	3.1	G60	2.339	0.122
G65	64.4	3.1	G65	2.535	0.122
G70	69.4	3.1	G70	2.732	0.122
G75	74.4	3.1	G75	2.929	0.122
G80	79.4	3.1	G80	3.126	0.122
G85	84.4	3.1	G85	3.323	0.122
G90	89.4	3.1	G90	3.52	0.122
G95	94.4	3.1	G95	3.717	0.122
G100	99.4	3.1	G100	3.913	0.122
G105	104.4	3.1	G105	4.11	0.122
G110	109.4	3.1	G110	4.307	0.122
G115	114.4	3.1	G115	4.504	0.122
G120	119.4	3.1	G120	4.701	0.122
G125	124.4	3.1	G125	4.898	0.122
G130	129.4	3.1	G130	5.094	0.122
G135	134.4	3.1	G135	5.291	0.122
G140	139.4	3.1	G140	5.488	0.122
G145	144.4	3.1	G145	5.685	0.122
G150	149.3	5.7	G150	5.878	0.224
G155	154.3	5.7	G155	6.075	0.224
G160	159.3	5.7	G160	6.272	0.224
G165	164.3	5.7	G165	6.468	0.224
G170	169.3	5.7	G170	6.665	0.224



O-RING JIS B2401 (SIZE G)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
G175	174.3	5.7	G175	6.862	0.224
G180	179.3	5.7	G180	7.059	0.224
G185	184.3	5.7	G185	7.256	0.224
G190	189.3	5.7	G190	7.453	0.224
G195	194.3	5.7	G195	7.65	0.224
G200	199.3	5.7	G200	7.846	0.224
G205	204.3	5.7	G205	8.043	0.224
G210	209.3	5.7	G210	8.24	0.224
G215	214.3	5.7	G215	8.437	0.224
G220	219.3	5.7	G220	8.634	0.224
G225	224.3	5.7	G225	8.831	0.224
G230	229.3	5.7	G230	9.028	0.224
G235	234.3	5.7	G235	9.224	0.224
G240	239.3	5.7	G240	9.421	0.224
G245	244.3	5.7	G245	9.618	0.224
G250	249.3	5.7	G250	9.815	0.224
G255	254.3	5.7	G255	10.012	0.224
G260	259.3	5.7	G260	10.209	0.224
G265	264.3	5.7	G265	10.405	0.224
G270	269.3	5.7	G270	10.602	0.224
G275	274.3	5.7	G275	10.799	0.224
G280	279.3	5.7	G280	10.996	0.224
G285	284.3	5.7	G285	11.193	0.224
G290	289.3	5.7	G290	11.39	0.224
G295	294.3	5.7	G295	11.587	0.224
G300	299.3	5.7	G300	11.783	0.224
G305	304.3	5.7	G305	11.98	0.224
G310	309.3	5.7	G310	12.177	0.224
G315	314.3	5.7	G315	12.374	0.224
G320	319.3	5.7	G320	12.571	0.224



O-RING JIS B2401 (SIZE G)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
G325	324.3	5.7	G325	12.768	0.224
G330	329.3	5.7	G330	12.965	0.224
G335	334.3	5.7	G335	13.161	0.224
G340	339.3	5.7	G340	13.358	0.224
G345	344.3	5.7	G345	13.555	0.224
G350	349.3	5.7	G350	13.752	0.224
G355	354.3	5.7	G355	13.949	0.224
G360	359.3	5.7	G360	14.146	0.224
G365	364.3	5.7	G365	14.342	0.224
G370	369.3	5.7	G370	14.539	0.224
G375	374.3	5.7	G375	14.736	0.224
G380	379.3	5.7	G380	14.933	0.224
G385	384.3	5.7	G385	15.13	0.224
G390	389.3	5.7	G390	15.327	0.224
G395	394.3	5.7	G395	15.524	0.224
G400	399.3	5.7	G400	15.72	0.224
G405	404.3	5.7	G405	15.917	0.224
G410	409.3	5.7	G410	16.114	0.224
G415	414.3	5.7	G415	16.311	0.224
G420	419.3	5.7	G420	16.508	0.224
G425	424.3	5.7	G425	16.705	0.224
G430	429.3	5.7	G430	16.902	0.224
G435	434.3	5.7	G435	17.098	0.224
G440	439.3	5.7	G440	17.295	0.224
G445	444.3	5.7	G445	17.492	0.224
G450	449.3	5.7	G450	17.689	0.224
G455	454.3	5.7	G455	17.886	0.224
G460	459.3	5.7	G460	18.083	0.224
G465	464.3	5.7	G465	18.279	0.224
G470	469.3	5.7	G470	18.476	0.224



O-RING JIS B2401 (SIZE G)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
G475	474.3	5.7	G475	18.673	0.224
G480	479.3	5.7	G480	18.87	0.224
G485	484.3	5.7	G485	19.067	0.224
G490	489.3	5.7	G490	19.264	0.224
G495	494.3	5.7	G495	19.461	0.224
G500	499.3	5.7	G500	19.657	0.224
G510	509.3	5.7	G510	20.051	0.224
G520	519.3	5.7	G520	20.445	0.224
G530	529.3	5.7	G530	20.839	0.224
G540	539.3	5.7	G540	21.232	0.224
G550	549.3	5.7	G550	21.626	0.224
G560	559.3	5.7	G560	22.02	0.224
G570	569.3	5.7	G570	22.413	0.224
G580	579.3	5.7	G580	22.807	0.224
G590	589.3	5.7	G590	23.201	0.224
G600	599.3	5.7	G600	23.594	0.224
G605	604.3	5.7	G605	23.791	0.224
G860	859.3	5.7	G860	33.831	0.224
G910	909.3	5.7	G910	35.799	0.224

