

O-RING JIS B2401 (SIZE P)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
P3	2.8	1.9	P3	0.11	0.075
P4	3.8	1.9	P4	0.15	0.075
P5	4.8	1.9	P5	0.189	0.075
P6	5.8	1.9	P6	0.228	0.075
P7	6.8	1.9	P7	0.268	0.075
P8	7.8	1.9	P8	0.307	0.075
P9	8.8	1.9	P9	0.346	0.075
P10	9.8	1.9	P10	0.386	0.075
P10A	9.8	2.4	P10A	0.386	0.094
P11	10.8	2.4	P11	0.425	0.094
P11.2	11	2.4	P11.2	0.433	0.094
P12	11.8	2.4	P12	0.465	0.094
P12.5	12.3	2.4	P12.5	0.484	0.094
P14	13.8	2.4	P14	0.543	0.094
P15	14.8	2.4	P15	0.583	0.094
P16	15.8	2.4	P16	0.622	0.094
P18	17.8	2.4	P18	0.701	0.094
P20	19.8	2.4	P20	0.78	0.094
P21	20.8	2.4	P21	0.819	0.094
P22	21.8	2.4	P22	0.858	0.094
P22A	21.7	3.5	P22A	0.854	0.138
P22.4	22.1	3.5	P22.4	0.87	0.138
P24	23.7	3.5	P24	0.933	0.138
P25	24.7	3.5	P25	0.972	0.138
P25.5	25.2	3.5	P25.5	0.992	0.138
P26	25.7	3.5	P26	1.012	0.138
P28	27.7	3.5	P28	1.091	0.138
P29	28.7	3.5	P29	1.13	0.138
P29.5	29.2	3.5	P29.5	1.15	0.138
P30	29.7	3.5	P30	1.169	0.138



O-RING JIS B2401 (SIZE P)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตใน)	CS (หนา)	JIS B 2401 SIZE	ID (โตใน)	CS (หนา)
P31	30.7	3.5	P31	1.209	0.138
P31.5	31.2	3.5	P31.5	1.228	0.138
P32	31.7	3.5	P32	1.248	0.138
P34	33.7	3.5	P34	1.327	0.138
P35	34.7	3.5	P35	1.366	0.138
P35.5	35.2	3.5	P35.5	1.386	0.138
P36	35.7	3.5	P36	1.406	0.138
P38	37.7	3.5	P38	1.484	0.138
P39	38.7	3.5	P39	1.524	0.138
P40	39.7	3.5	P40	1.563	0.138
P41	40.7	3.5	P41	1.602	0.138
P42	41.7	3.5	P42	1.642	0.138
P44	43.7	3.5	P44	1.72	0.138
P45	44.7	3.5	P45	1.76	0.138
P46	45.7	3.5	P46	1.799	0.138
P48	47.7	3.5	P48	1.878	0.138
P49	48.7	3.5	P49	1.917	0.138
P50	49.7	3.5	P50	1.957	0.138
P48A	47.6	5.7	P48A	1.874	0.224
P50A	49.6	5.7	P50A	1.953	0.224
P52	51.6	5.7	P52	2.031	0.224
P53	52.6	5.7	P53	2.071	0.224
P55	54.6	5.7	P55	2.15	0.224
P56	55.6	5.7	P56	2.189	0.224
P58	57.6	5.7	P58	2.268	0.224
P60	59.6	5.7	P60	2.346	0.224
P62	61.6	5.7	P62	2.425	0.224
P63	62.6	5.7	P63	2.465	0.224
P65	64.6	5.7	P65	2.543	0.224
P67	66.6	5.7	P67	2.622	0.224



O-RING JIS B2401 (SIZE P)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
P70	69.6	5.7	P70	2.74	0.224
P71	70.6	5.7	P71	2.78	0.224
P75	74.6	5.7	P75	2.937	0.224
P80	79.6	5.7	P80	3.134	0.224
P85	84.6	5.7	P85	3.331	0.224
P90	89.6	5.7	P90	3.528	0.224
P95	94.6	5.7	P95	3.724	0.224
P100	99.6	5.7	P100	3.921	0.224
P102	101.6	5.7	P102	4	0.224
P105	104.6	5.7	P105	4.118	0.224
P110	109.6	5.7	P110	4.315	0.224
P112	111.6	5.7	P112	4.394	0.224
P115	114.6	5.7	P115	4.512	0.224
P120	119.6	5.7	P120	4.709	0.224
P125	124.6	5.7	P125	4.906	0.224
P130	129.6	5.7	P130	5.102	0.224
P132	131.6	5.7	P132	5.181	0.224
P135	134.6	5.7	P135	5.299	0.224
P140	139.6	5.7	P140	5.496	0.224
P145	144.6	5.7	P145	5.693	0.224
P150	149.6	5.7	P150	5.89	0.224
P150A	149.5	8.4	P150A	5.886	0.331
P155	154.5	8.4	P155	6.083	0.331
P160	159.5	8.4	P160	6.28	0.331
P165	164.5	8.4	P165	6.476	0.331
P170	169.5	8.4	P170	6.673	0.331
P175	174.5	8.4	P175	6.87	0.331
P180	179.5	8.4	P180	7.067	0.331
P185	184.5	8.4	P185	7.264	0.331
P190	189.5	8.4	P190	7.461	0.331



O-RING JIS B2401 (SIZE P)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
P195	194.5	8.4	P195	7.657	0.331
P200	199.5	8.4	P200	7.854	0.331
P205	204.5	8.4	P205	8.051	0.331
P209	208.5	8.4	P209	8.209	0.331
P210	209.5	8.4	P210	8.248	0.331
P215	214.5	8.4	P215	8.445	0.331
P220	219.5	8.4	P220	8.642	0.331
P225	224.5	8.4	P225	8.839	0.331
P230	229.5	8.4	P230	9.035	0.331
P235	234.5	8.4	P235	9.232	0.331
P240	239.5	8.4	P240	9.429	0.331
P245	244.5	8.4	P245	9.626	0.331
P250	249.5	8.4	P250	9.823	0.331
P255	254.5	8.4	P255	10.02	0.331
P260	259.5	8.4	P260	10.217	0.331
P265	264.5	8.4	P265	10.413	0.331
P270	269.5	8.4	P270	10.61	0.331
P275	274.5	8.4	P275	10.807	0.331
P280	279.5	8.4	P280	11.004	0.331
P285	284.5	8.4	P285	11.201	0.331
P290	289.5	8.4	P290	11.398	0.331
P295	294.5	8.4	P295	11.594	0.331
P300	299.5	8.4	P300	11.791	0.331
P305	304.5	8.4	P305	11.988	0.331
P310	309.5	8.4	P310	12.185	0.331
P315	314.5	8.4	P315	12.382	0.331
P320	319.5	8.4	P320	12.579	0.331
P325	324.5	8.4	P325	12.776	0.331
P330	329.5	8.4	P330	12.972	0.331
P335	334.5	8.4	P335	13.169	0.331



O-RING JIS B2401 (SIZE P)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
P340	339.5	8.4	P340	13.366	0.331
P345	344.5	8.4	P345	13.563	0.331
P350	349.5	8.4	P350	13.76	0.331
P355	354.5	8.4	P355	13.957	0.331
P360	359.5	8.4	P360	14.154	0.331
P365	364.5	8.4	P365	14.35	0.331
P370	369.5	8.4	P370	14.547	0.331
P375	374.5	8.4	P375	14.744	0.331
P380	379.5	8.4	P380	14.941	0.331
P385	384.5	8.4	P385	15.138	0.331
P390	389.5	8.4	P390	15.335	0.331
P395	394.5	8.4	P395	15.531	0.331
P400	399.5	8.4	P400	15.728	0.331
P405	404.5	8.4	P405	15.925	0.331
P410	409.5	8.4	P410	16.122	0.331
P415	414.5	8.4	P415	16.319	0.331
P420	419.5	8.4	P420	16.516	0.331
P425	424.5	8.4	P425	16.713	0.331
P430	429.5	8.4	P430	16.909	0.331
P435	434.5	8.4	P435	17.106	0.331
P440	439.5	8.4	P440	17.303	0.331
P445	444.5	8.4	P445	17.5	0.331
P450	449.5	8.4	P450	17.697	0.331
P455	454.5	8.4	P455	17.894	0.331
P460	459.5	8.4	P460	18.091	0.331
P465	464.5	8.4	P465	18.287	0.331
P470	469.5	8.4	P470	18.484	0.331
P475	474.5	8.4	P475	18.681	0.331
P480	479.5	8.4	P480	18.878	0.331
P485	484.5	8.4	P485	19.075	0.331



O-RING JIS B2401 (SIZE P)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
P490	489.5	8.4	P490	19.272	0.331
P495	494.5	8.4	P495	19.468	0.331
P500	499.5	8.4	P500	19.665	0.331
P590	589.5	8.4	P590	23.209	0.331
P600	599.5	8.4	P600	23.602	0.331
P610	609.5	8.4	P610	23.996	0.331
P620	619.5	8.4	P620	24.39	0.331
P625	624.5	8.4	P625	24.587	0.331
P635	634.5	8.4	P635	24.98	0.331
P650	649.5	8.4	P650	25.571	0.331
P680	679.5	8.4	P680	26.752	0.331
P690	689.5	8.4	P690	27.146	0.331
P700	699.5	8.4	P700	27.539	0.331
P710	709.5	8.4	P710	27.933	0.331
P720	719.5	8.4	P720	28.327	0.331
P730	729.5	8.4	P730	28.72	0.331
P740	739.5	8.4	P740	29.114	0.331
P750	749.5	8.4	P750	29.508	0.331
P760	759.5	8.4	P760	29.902	0.331
P770	769.5	8.4	P770	30.295	0.331
P780	779.5	8.4	P780	30.689	0.331
P790	789.5	8.4	P790	31.083	0.331
P800	799.5	8.4	P800	31.476	0.331
P810	809.5	8.4	P810	31.87	0.331
P820	819.5	8.4	P820	32.264	0.331
P830	829.5	8.4	P830	32.657	0.331
P840	839.5	8.4	P840	33.051	0.331
P850	849.5	8.4	P850	33.445	0.331
P860	859.5	8.4	P860	33.839	0.331
P870	869.5	8.4	P870	34.232	0.331



O-RING JIS B2401 (SIZE P)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
P880	879.5	8.4	P880	34.626	0.331
P890	889.5	8.4	P890	35.02	0.331
P900	899.5	8.4	P900	35.413	0.331
P910	909.5	8.4	P910	35.807	0.331
P915	914.5	8.4	P915	36.004	0.331
P920	919.5	8.4	P920	36.201	0.331
P930	929.5	8.4	P930	36.594	0.331
P940	939.5	8.4	P940	36.988	0.331
P950	949.5	8.4	P950	37.382	0.331
P960	959.5	8.4	P960	37.776	0.331
P970	969.5	8.4	P970	38.169	0.331
P980	979.5	8.4	P980	38.563	0.331
P990	989.5	8.4	P990	38.957	0.331
P1000	999.5	8.4	P1000	39.35	0.331

