

O-RING JIS B2401 (SIZE S)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
S3	2.5	1.5	S3	0.098	0.059
S4	3.5	1.5	S4	0.138	0.059
S5	4.5	1.5	S5	0.177	0.059
S6	5.5	1.5	S6	0.217	0.059
S7	6.5	1.5	S7	0.256	0.059
S8	7.5	1.5	S8	0.295	0.059
S9	8.5	1.5	S9	0.335	0.059
S10	9.5	1.5	S10	0.374	0.059
S11.2	10.7	1.5	S11.2	0.421	0.059
S12	11.5	1.5	S12	0.453	0.059
S12.5	12	1.5	S12.5	0.472	0.059
S14	13.5	1.5	S14	0.531	0.059
S15	14.5	1.5	S15	0.571	0.059
S16	15.5	1.5	S16	0.61	0.059
S18	17.5	1.5	S18	0.689	0.059
S20	19.5	1.5	S20	0.768	0.059
S22	21.5	1.5	S22	0.846	0.059
S22.4	21.9	2	S22.4	0.862	0.079
S24	23.5	2	S24	0.925	0.079
S25	24.5	2	S25	0.965	0.079
S26	25.5	2	S26	1.004	0.079
S28	27.5	2	S28	1.083	0.079
S29	28.5	2	S29	1.122	0.079
S30	29.5	2	S30	1.161	0.079
S31.5	31	2	S31.5	1.22	0.079
S32	31.5	2	S32	1.24	0.079
S34	33.5	2	S34	1.319	0.079
S35	34.5	2	S35	1.358	0.079
S35.5	35	2	S35.5	1.378	0.079
S36	35.5	2	S36	1.398	0.079



O-RING JIS B2401 (SIZE S)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
S38	37.5	2	S38	1.476	0.079
S39	38.5	2	S39	1.516	0.079
S40	39.5	2	S40	1.555	0.079
S42	41.5	2	S42	1.634	0.079
S44	43.5	2	S44	1.713	0.079
S45	44.5	2	S45	1.752	0.079
S46	45.5	2	S46	1.791	0.079
S48	47.5	2	S48	1.87	0.079
S50	49.5	2	S50	1.949	0.079
S53	52.5	2	S53	2.067	0.079
S55	54.5	2	S55	2.146	0.079
S56	55.5	2	S56	2.185	0.079
S60	59.5	2	S60	2.343	0.079
S63	62.5	2	S63	2.461	0.079
S65	64.5	2	S65	2.539	0.079
S67	66.5	2	S67	2.618	0.079
S70	69.5	2	S70	2.736	0.079
S71	70.5	2	S71	2.776	0.079
S75	74.5	2	S75	2.933	0.079
S80	79.5	2	S80	3.13	0.079
S85	84.5	2	S85	3.327	0.079
S90	89.5	2	S90	3.524	0.079
S95	94.5	2	S95	3.72	0.079
S100	99.5	2	S100	3.917	0.079
S105	104.5	2	S105	4.114	0.079
S110	109.5	2	S110	4.311	0.079
S112	111.5	2	S112	4.39	0.079
S115	114.5	2	S115	4.508	0.079
S120	119.5	2	S120	4.705	0.079
S125	124.5	2	S125	4.902	0.079



O-RING JIS B2401 (SIZE S)

มิลลิเมตร (MM)			นิ้ว (INCH)		
JIS B 2401 SIZE	ID (โตโน)	CS (หนา)	JIS B 2401 SIZE	ID (โตโน)	CS (หนา)
S130	129.5	2	S130	5.098	0.079
S132	131.5	2	S132	5.177	0.079
S135	134.5	2	S135	5.295	0.079
S140	139.5	2	S140	5.492	0.079
S145	144.5	2	S145	5.689	0.079
S150	149.5	2	S150	5.886	0.079

WWW.222PARTS.COM

WWW.222PARTS.COM

